

MOBILE FACILITY PROGRAM REVIEW
ACTION ITEM

ACTION ITEM NO.: 5-49

DATE SUBMITTED: 04/14/09

SUBMITTED BY: 3MAW

PROBLEM: MAWTS-1 is currently using active AB-02 and AB-03 MF's which are assigned to the MALS 13 TBA. They are complexed with JU-32 KZT-452 which has been authorized for survey. These MFs are also complexed to a triple wide (BF-07A, BF-08B, BF-10C) that is not on the TBA. Complexing active MFs with surveyed MFs is prohibited by MCO 13670.1.

RECOMMENDATION: . That MAWTS-1 is assigned by TBA, needed MF's that will remain on site (never moved), allowed to complex with the surveyed MF, and the triple wide MF that is not on accounts. This could be done by the use of a letter of agreement or verision thereof from the necessary Program Offices. Alternative to survey of JU-32 would be to revoke survey disposition and assign this MF to the MAWTS-1 TBA MAWTS-1 has a large investment in KZT-452. The MF is tied into the intrusion detection and sound masking systems installed in the MAWTS-1 special programs complex. Removing it would require rewiring both security systems. Regardless whether KZT-452 is surveyed or not, the MF should remain in place at MAWTS-1. POC's for this for more clarification is MSgt Spaulding A.C. at 3MAW and Capt Burton at MAWTS-1. POC's for this for more clarification is MSgt Spaulding A.C. at 3MAW and Capt Burton at MAWTS-1.

STATUS: Authorization to strike all AB-02s, AB-03s amd JU-32 (KZT-452) from TBA, survey and remain in place. AI CLOSED

ACTION AGENCY: ASL-34