

QPL-29600-3  
20 Mar 2017

---

QUALIFICATIONS HAVE BEEN VALIDATED  
(Frequency: 3 Years)  
BY VERIFICATION TESTING

---

SUPPLEMENTAL INFORMATION SHEET FOR QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER SAE AEROSPACE STANDARD  
AS29600

CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH  
DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE  
CRIMP CONTACTS, ASSOCIATED HARDWARE,  
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject non-Government standard and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest adopted issue of the applicable non-Government standard. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the non-Government standard requirements.

The activity responsible for this qualified products list and for qualification approval is the Naval Air Systems Command, AIR-4.4.5.3, 48298 Shaw Rd., Building 1461, Patuxent River, Maryland 20670-1900. Manufacturer's full name, cage number, office and plant addresses are listed at the end of this QPL.

THIS DOCUMENT IS AN OFFICIAL SUPPLEMENTAL INFORMATION SHEET OF THE PRODUCTS TRANSFORMED TO AN EQUIVALENT QUALIFICATION DATA SET (QDS). USERS OF THIS DOCUMENT MUST VISIT THE QUALIFIED PRODUCTS DATABASE (QPD) TO VERIFY QUALIFICATION INFORMATION. PLEASE VISIT [HTTP://ASSIST.DAPS.DLA.MIL/ONLINE/START/](http://assist.daps.dla.mil/online/start/) TO ACCESS INFORMATION. YOU MUST HAVE A USERNAME AND PASSWORD TO ENTER SITE. ONCE LOGGED IN CHOOSE "QPD" FROM THE SIDE MENU. YOU CAN SEARCH BY QPL NUMBER, DOCUMENT NUMBER, GOVERNING SPEC, TITLE, FSC, GOVERNMENT DESIGNATION, NON-GOVERNMENT (NGS) DESIGNATION, MANUFACTURER DESIGNATION,

AMCS N/A

FSC 5935

| PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODIES DESIGNATION |        |           |                  | MANUFACTURER'S DESIGNATION | MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE |        |        |              |  |     |  |         |        |       |        |              |   |
|--|--------|-----------|------------------|----------------------------|--|--------|--------|--------------|--|-----|--|---------|--------|-------|--------|--------------|---|
| M29600/10  | E<br>R | B35       | P<br>S<br>H<br>J | DG123A0                    | E<br>R   | 9-35   | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |     |  |         |        |       |        |              |   |
|  |        | 898       |                  |                            |  | 9-98   |        |              |  |     |  |         |        |       |        |              |   |
|  |        | D5        |                  |                            |  | 11-05  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | 035       |                  |                            |  | 11-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | D99       |                  |                            |  | 11-99  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | F4        |                  |                            |  | 13-04  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | F35       |                  |                            |  | 13-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | F98       |                  |                            |  | 13-98  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H5        |                  |                            |  | 15-05  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H18       |                  |                            |  | 15-18  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H35       |                  |                            |  | 15-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H97       |                  |                            |  | 15-97  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | K6        |                  |                            |  | 17-06  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | K8        |                  |                            |  | 17-08  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | K26       |                  |                            |  | 17-26  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | K35       |                  |                            |  | 17-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | N11       |                  |                            |  | 19-11  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | N32       |                  |                            |  | 19-32  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | N35       |                  |                            |  | 19-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | R11       |                  |                            |  | 21-11  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | R16       |                  |                            |  | 21-16  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | R35       |                  |                            |  | 21-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | R41       |                  |                            |  | 21-41  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | T21       |                  |                            |  | 23-21  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | T35       |                  |                            |  | 23-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | T53       |                  |                            |  | 23-53  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | T55       |                  |                            |  | 23-55  |        |              |  |     |  |         |        |       |        |              |   |
| W4   | 25-04  |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| W19  | 25-19  |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| W24  | 25-24  |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| W29  | 25-29  |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| W35  | 25-35  |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| W61  | 25-61  |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| <hr/>  |        |           |                  |                            |  |        |        |              |  |     |  |         |        |       |        |              |   |
| M29600/11  | E<br>R | B35       | p<br>S<br>H<br>J | DG123A4                    | E<br>R   | 9-35   | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |     |  |         |        |       |        |              |   |
|  |        | 898       |                  |                            |  | 9-98   |        |              |  |     |  |         |        |       |        |              |   |
|  |        | D5        |                  |                            |  | 11-05  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | 035       |                  |                            |  | 11-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | D99       |                  |                            |  | 11-99  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | F4        |                  |                            |  | 13-04  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | F35       |                  |                            |  | 13-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | F98       |                  |                            |  | 13-98  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H5        |                  |                            |  | 15-05  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H18       |                  |                            |  | 15-18  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H35       |                  |                            |  | 15-35  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | H97       |                  |                            |  | 15-97  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | K6        |                  |                            |  | 17-06  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | K8        |                  |                            |  | 17-08  |        |              |  |     |  |         |        |       |        |              |   |
|  |        | M29600/11 |                  |                            |  | E<br>R |        |              |  | K26 |  | DG123A4 | E<br>R | 17-26 | P<br>S | 3025<br>3025 | TE Connectivity<br>(continued)<br>06407601.AF/6-30-07 |
|  |        |           |                  |                            |  |        |        |              |  | K35 |  |         |        | 17-35 |        |              |   |
|  |        |           |                  |                            |  |        |        |              |  | N11 |  |         |        | 19-11 |        |              |   |

| PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODIES DESIGNATION |        |  |                  | MANUFACTURER'S DESIGNATION | MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE   |  |        |              |  |
|--|--------|--|------------------|----------------------------|--|--|--------|--------------|--|
|  |        | N32<br>N35<br>R11<br>R16<br>R35<br>R41<br>T21<br>T35<br>T53<br>T55<br>W4<br>W19<br>W24<br>W29<br>W35<br>W61  |                  |                            | 19-32<br>19-35<br>21-11<br>21-16<br>21-35<br>21-41<br>23-21<br>23-35<br>23-53<br>23-55<br>25-04<br>25-19<br>25-24<br>25-29<br>25-35<br>25-61 | TE Connectivity<br>(continued)<br>06407601.AF/6-30-07  |        |              |  |
| M29600/12  | E<br>R | B35<br>898<br>D5<br>035<br>D99<br>F4<br>F35<br>F98<br>H5<br>H18<br>H35<br>H97<br>K6<br>K8<br>K26<br>K35<br>N11<br>N32<br>N35<br>R11<br>R16<br>R35<br>R41<br>T21<br>T35<br>T53<br>T55<br>W4 | P<br>S<br>H<br>J | DG123A6                    | E<br>R   | 9-35<br>9-98<br>11-05<br>11-35<br>11-99<br>13-04<br>13-35<br>13-98<br>15-05<br>15-18<br>15-35<br>15-97<br>17-06<br>17-08<br>17-26<br>17-35<br>19-11<br>19-32<br>19-35<br>21-11<br>21-16<br>21-35<br>21-41<br>23-21<br>23-35<br>23-53<br>23-55<br>25-04 | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |
| M29600/12  | E<br>R | W19<br>W24<br>W29<br>W35<br>W61  | P<br>S<br>H<br>J | DG123A6                    | E<br>R   | 25-19<br>25-24<br>25-29<br>25-35<br>25-61  | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |

| PREVIOUS GOVERNMENT<br>DESIGNATION AND<br>NON-GOVERNMENT STANDARD<br>BODIES DESIGNATION |  |  |  | MANUFACTURER'S<br>DESIGNATION | MANUFACTURER'S<br>NAME AND<br>QUALIFICATION<br>TEST REFERENCE |  |  |
|---|--|--|--|-------------------------------|---|--|--|
|---|--|--|--|-------------------------------|---|--|--|

|           |        |        |   |        |        |        |        |              |  |
|-----------|--------|--------|---|--------|--------|--------|--------|--------------|--|
| M29600/20 | E<br>R | A04    | P | DG1230 | E<br>R | 08-04  | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |
|           |        | C03    | S |        |        | 10-03  |        |              |  |
|           |        | C05    | H |        |        | 10-05  |        |              |  |
|           |        | C12    | J |        |        | 10-12  |        |              |  |
|           |        | G09    |   |        |        | 14-09  |        |              |  |
|           |        | G19    |   |        |        | 14-19  |        |              |  |
|           |        | G37    |   |        |        | 14-37  |        |              |  |
|           |        | J14    |   |        |        | 16-14  |        |              |  |
|           |        | J27    |   |        |        | 16-27  |        |              |  |
|           |        | J55    |   |        |        | 16-55  |        |              |  |
|           |        | M21    |   |        |        | 18-21  |        |              |  |
|           |        | M38    |   |        |        | 18-38  |        |              |  |
|           |        | M85    |   |        |        | 18-85  |        |              |  |
|           |        | P24    |   |        |        | 20-24  |        |              |  |
|           |        | P45    |   |        |        | 20-45  |        |              |  |
|           |        | P92    |   |        |        | 20-92  |        |              |  |
|           |        | S-32   |   |        |        | 22-32  |        |              |  |
|           |        | S-61   |   |        |        | 22-61  |        |              |  |
|           |        | S-121  |   |        |        | 22-121 |        |              |  |
|           |        | U-41   |   |        |        | 24-41  |        |              |  |
| U-74      |        | 24-74  |   |        |        |        |        |              |  |
| U-155     |        | 24-155 |   |        |        |        |        |              |  |

|           |        |       |   |        |        |       |        |              |  |        |              |  |
|-----------|--------|-------|---|--------|--------|-------|--------|--------------|--|--------|--------------|--|
| M29600/21 | E<br>R | A04   | P | DG1234 | E<br>R | 08-04 | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |        |              |  |
|           |        | C03   | S |        |        | 10-03 |        |              |  |        |              |  |
|           |        | C05   | H |        |        | 10-05 |        |              |  |        |              |  |
|           |        | C12   | J |        |        | 10-12 |        |              |  |        |              |  |
|           |        | G09   |   |        |        | 14-09 |        |              |  |        |              |  |
|           |        | G19   |   |        |        | 14-19 |        |              |  |        |              |  |
|           |        | G37   |   |        |        | 14-37 |        |              |  |        |              |  |
|           |        | J14   |   |        |        | 16-14 |        |              |  |        |              |  |
|           |        | J27   |   |        |        | 16-27 |        |              |  |        |              |  |
|           |        | J55   |   |        |        | 16-55 |        |              |  |        |              |  |
|           |        | M21   | P |        |        | 18-21 |        |              |  | P<br>S | 3025<br>3025 | TE Connectivity<br><br>06407601.AF/6-30-07 |
|           |        | M38   | S |        |        | 18-38 |        |              |  |        |              |  |
|           |        | M85   | H |        |        | 18-85 |        |              |  |        |              |  |
| P24       | J      | 20-24 |   |        |        |       |        |              |  |        |              |  |
| P45       |        | 20-45 |   |        |        |       |        |              |  |        |              |  |
| P92       |        | 20-92 |   |        |        |       |        |              |  |        |              |  |
| S-32      |        | 22-32 |   |        |        |       |        |              |  |        |              |  |

QPL-29600

| PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODIES DESIGNATION |        |  |                  | MANUFACTURER'S DESIGNATION | MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE |  |  |              |  |
|--|--------|--|------------------|----------------------------|--|--|--|--------------|--|
|  |        | S-61   |                  |                            | 22-61  |  | TE Connectivity                        |              |  |
|  |        | S-121  |                  |                            | 22-121   |  | (Continued)                            |              |  |
|  |        | U-41   |                  |                            | 24-41  |  | 06407601.AF/6-30-07                    |              |  |
|  |        | U-74   |                  |                            | 24-74  |  |  |              |  |
|  |        | U-155  |                  |                            | 24-155   |  |  |              |  |
| M29600/22  | E<br>R | A04<br>C03<br>C05<br>C12<br>G09<br>G19<br>G37<br>J14<br>J27<br>J55<br>M21<br>M38<br>M85<br>P24<br>P45<br>P92<br>S-32<br>S-61<br>S-121<br>U-41<br>U-74<br>U-155 | P<br>S<br>H<br>J | DG1236                     | E<br>R   | 08-04<br>10-03<br>10-05<br>10-12<br>14-09<br>14-19<br>14-37<br>16-14<br>16-27<br>16-55<br>18-21<br>18-38<br>18-85<br>20-24<br>20-45<br>20-92<br>22-32<br>22-61<br>22-121<br>24-41<br>24-74<br>24-155 | P<br>S                                 | 3025<br>3025 | TE Connectivity<br>06407601.AF/6-30-07 |
| M29600/23-   |        | 606<br>607<br>608  |                  | 12343-                     | 23<br>20<br>16                                       |  | TE Connectivity<br>06407601.AF/6-30-07 |              |  |
| M29600/24-   |        | 610<br>611<br>612  |                  | 12341-                     | 23<br>20<br>16                                       |  |  |              |  |

QPL-29600

| MANUFACTURER'S NAME<br>ADDRESS AND PLANT  | CAGE<br>CODE | MANUFACTURER'S NAME<br>ADDRESS AND PLANT | CAGE<br>CODE |
|---|--------------|--|--------------|
| TE Connectivity<br>250 Eddie Jones Way<br>Oceanside, CA 92058   | 11139        |  |              |
| <u>Plant:</u><br>TE Connectivity (Deutsch)<br>Kilometer 127.86 Mexicali<br>Tecate Federal Road<br>Baja California, Mexico | SVL51        |  |              |